L	Hits	Search Text	DB	Time stamp
Number 1	2	("6745284" "6606630").pn.	USPAT	2004/06/07
	0	("6745284" "6606630").pn.and quer\$3	USPAT	12:22 2004/06/07
2	١		USPAI	12:22
3	0	("6745284" "6606630").pn.and quer\$5	USPAT	2004/06/07
-	1128	(hba or (host adj bus adj adapter))	USPAT	2004/06/03
-	11		USPAT	2004/06/02
_	1	port with login (hba or (host adj bus adj adapter))	USPAT	2004/06/02
		near15 (access\$3 or address\$2) with (table or list)and port with login		14:57
-	9	(hba or (host adj bus adj adapter)) near15 (access\$3 or address\$2) with	USPAT	2004/06/02 14:59
	3	(table or list) (hba or (host adj bus adj adapter)) and	USPAT	2004/06/02
_	3	hardware\$1 near10 (access\$3 or address\$2)	OSIAI	15:00
_	1372	with (table or list) (hba\$1 or (host adj bus adj adapter\$1))	USPAT	2004/06/03
_	o	(hba\$1 or (host adj bus adj	USPAT	09:58
		adapter\$1))near15 (list\$1 or	302.11	09:59
_	6	table\$1)near15 port\$1 with login (hba\$1 or (host adj bus adj	USPAT	2004/06/03
		adapter\$1))and (list\$1 or table\$1)near15 port\$1 with login		09:59
-	0	(hba\$1 or (host adj bus adj	USPAT	2004/06/03
		adapter\$1))and (list\$1 or table\$1)near15 port\$1 adj login		09:59
-	0	(hba\$1 or (host adj bus adj adapter\$1))with port\$1 adj login	USPAT	2004/06/03
		and(list\$1 or table\$1)		
-	0	(hba\$1 or (host adj bus adj adapter\$1))with port\$1 adj login	USPAT	2004/06/03
-	52	port\$1 adj login	USPAT	2004/06/03
-	49	port\$1 adj login and (list or table)	USPAT	2004/06/03
_	2	port\$1 adj login near15 (list or table)	USPAT	10:00
_	2	 port\$1 adj login near15 (list\$1 or	USPAT	10:00 2004/06/03
	1 0	table\$1)	USPAT	10:06 2004/06/03
_		table\$1)and (hba or (host adj bus adj	JULAT	10:01
_	1166	adapter)) (hba or (host adj bus adj adapter\$1))	USPAT	2004/06/03
_	0	withport\$1 adj login (hba or (host adj bus adj adapter\$1))	USPAT	10:06 2004/06/03
_	0	with port\$1 adj login (hba or (host adj bus adj adapter\$1))	USPAT	10:07 2004/06/03
_	1166	with port\$1 near3 login (hba or (host adj bus adj adapter\$1))	USPAT	10:06 2004/06/03
		andport\$1 adj login		10:07
_	10	(hba or (host adj bus adj adapter\$1)) and port\$1 adj login	USPAT	10:07
-	9	(hba or (host adj bus adj adapter\$1)) and port\$1 adj login and (list\$1 or table\$1)	USPAT	2004/06/03
-	37	(hba or (host adj bus adj adapter\$1)) and (authoriz\$6 or access\$4) with device\$1	USPAT	2004/06/03
		with (list\$1 or table\$1)		
_	9	(hba or (host adj bus adj adapter\$1)) and (authoriz\$6 or access\$4) with device\$1	USPAT	2004/06/03 10:14
		<pre>with (list\$1 or table\$1)and login (hba or (host adj bus adj adapter\$1)) and</pre>	USPAT	2004/06/03
	5	(authoriz\$6 or access\$4) with device\$1	OSFAI	10:31
		with (list\$1 or table\$1)and login with port		
		<u></u>		

_	3	(hba or (host adj bus adj adapter\$1)) and target with device\$1 with (list\$1 or	USPAT	2004/06/03 10:32
_	О	table\$1)and login with port (hba or (host adj bus adj adapter\$1)) with login with port	USPAT	2004/06/03
-	12	(hba or (host adj bus adj adapter\$1)) and	USPAT	2004/06/03
_	48	login with port (hba or (host adj bus adj adapter\$1))	USPAT	2004/06/03
_	949	with (list\$1 or table\$1) target with device\$1 with (list\$1 or	USPAT	10:50 2004/06/03
_	0	table\$1) target with device\$1 with (list\$1 or	USPAT	10:50 2004/06/03 10:50
_	0	table\$1) with port near2 login device\$1 with (list\$1 or table\$1) with	USPAT	2004/06/03 10:51
-	16	port near2 login (list\$1 or table\$1) with port near2 login	USPAT	2004/06/03
-	o	authoriz\$5 with port near2 login with device\$1	USPAT	2004/06/03
-	22	port near2 login with device\$1	USPAT	2004/06/03
-	4126	(list or table\$1) with (authoriz\$6 or access\$4) with device\$1	USPAT	2004/06/03
-	0	(hba or (host adj bus adj adapter))with (list or table\$1) with (authoriz\$6 or	USPAT	2004/06/03 10:54
_	0	access\$4) with device\$1 (hba or (host adj bus adj adapter))near20	USPAT	2004/06/03
		(list or table\$1) with (authoriz\$6 or access\$4) with device\$1		10:54
_	0	adapter with (list or table\$1) with (authoriz\$6 or access\$4) with device\$1	USPAT	2004/06/03 10:55
_	0	and port with login adapter with (list or table\$1) with	USPAT	2004/06/03
	0	(authoriz\$6 or access\$4) with device\$1 and port\$1 with login adapter with (list or table\$1) with	USPAT	2004/06/03
_		(authoriz\$6 or access\$4) with device\$1 and login	OJIMI	10:55
_	39	adapter with (list or table\$1) with (authoriz\$6 or access\$4) with device\$1	USPAT	2004/06/03 10:59
-	46	adapter\$1 with (list or table\$1) with (authoriz\$6 or access\$4 or login) with	USPAT	2004/06/03 11:08
-	94	device\$1 (list or table\$1) with (authoriz\$6 or	USPAT	2004/06/03
_	0	access\$4) with login (list or table\$1) with (authoriz\$6 or	USPAT	11:09 2004/06/03 11:09
_	0	access\$4) with login near2 port\$1 (list or table\$1) with (authoriz\$6 or access\$4) with login near2 port	USPAT	2004/06/03 11:09
-	1	adapter with (list or table\$1) with (authoriz\$6 or access\$4) with login	USPAT	2004/06/03 11:09
_	4	(list or table\$1) with (authoriz\$6 or access\$4) with login and hba	USPAT	2004/06/03
-	4126	(list or table\$1) with (authoriz\$6 or access\$4) with device\$1	USPAT	2004/06/03 11:19
-	6	(list or table\$1) with (authoriz\$6 or access\$4) with device\$1 and (hba or (host	USPAT	2004/06/03 11:22
_	7		USPAT	2004/06/03
		access\$4 or assign\$6) with device\$1 and (hba or (host near2 adapter\$1)) and port		11:33
-	6	with login (list or table\$1) with (authoriz\$6 or access\$4 or assign\$6) with device\$1 and	USPAT	2004/06/03
		(hba or (host near2 adapter\$1)) and port with login and list\$1		
_	2563		USPAT	2004/06/03 14:55
-	6	(hba or (host near2 adapter))with port with login	USPAT	2004/06/03 14:55
-	6	(hba or (host near2 adapter))with port with login and (access\$4 or authoriz\$6)	USPAT	2004/06/03 14:56

Search History 6/7/04 12:40:34 PM Page 2

-	2563	(hba or (host near2 adapter)) andport with	USPAT	2004/06/03
	23	login and (access\$4 or authoriz\$6) (hba or (host near2 adapter))and port	USPAT	14:56 2004/06/03
-	23	with login and (access\$4 or authoriz\$6)	OSFAI	14:56
-	17	(hba or (host near2 adapter)) and port	USPAT	2004/06/03
		with login and (access\$4 or authoriz\$6)		15:00
	İ	not ((hba or (host near2 adapter))with		
		<pre>port with login and (access\$4 or authoriz\$6))</pre>		
_	6	(hba or (host near2 adapter)) and port	USPAT	2004/06/03
		with login with (list\$1 or table\$1)		15:10
-	16	port near2 login with (list\$1 or	USPAT	2004/06/03
1_	l 0	table\$1) port near2 login with (match\$3 or	USPAT	15:16 2004/06/03
	ľ	found) with (list\$1 or table\$1)		15:15
-	74	port near2 login	USPAT	2004/06/03
	3	nant nang lanin ak	USPAT	15:16 2004/06/03
-	3	port near2 login.ab.	USPAI	15:18
-	56	port near2 login and device\$1 with	USPAT	2004/06/03
1		(table\$1 or list\$1 or structure\$1)		15:24
-	56	port near2 login\$3 and device\$1 with (table\$1 or list\$1 or structure\$1)	USPAT	2004/06/03 15:24
_	0	port near2 login\$3 near15 device\$1 with	USPAT	2004/06/03
		(table\$1 or list\$1 or structure\$1)		15:24
-	16	port near2 login\$3 near15 (table\$1 or	USPAT	2004/06/03
_	179	list\$1 or structure\$1) assign\$5 with device\$1 near15 (hba or	USPAT	15:34 2004/06/03
	1,3	adapter\$1)	02111	15:34
-	5	assign\$5 with device\$1 near15 (hba or	USPAT	2004/06/03
	6	adapter\$1) and port with login\$5 assign\$5 with device\$1 near15 (hba or	USPAT	15:35 2004/06/03
-	Ů	adapter\$1) and login\$5	OSPAI	15:36
-	11	assign\$5 with device\$1 near15 (hba or	USPAT	2004/06/03
	0076	adapter\$1).ab.	IICD A M	15:36 2004/06/04
-	2276	port\$1 with log\$5 near15(access\$4 or authoriz\$6 or list\$1 or table\$1 or	USPAT	20:00
		record\$1)		
-	497	port\$1 near2 log\$5 near15(access\$4 or	USPAT	2004/06/04
		authoriz\$6 or list\$1 or table\$1 or record\$1)		20:00
_	13	port\$1 near2 log\$5 near15(access\$4 or	USPAT	2004/06/04
		authoriz\$6 or list\$1 or table\$1 or		20:05
	100	record\$1).ab. port\$1 adj log\$5 near15(access\$4 or	USPAT	2004/06/04
-	108	authoriz\$6 or list\$1 or table\$1 or	USPAI	20:30
		record\$1)		
-	1	port\$1 adj log\$5 near15 authoriz\$6	USPAT	2004/06/04
_	37	 port\$1 with log\$5 near15 authoriz\$6	USPAT	20:25 2004/06/04
				20:27
-	1	port\$1 with log\$5 near15 authoriz\$6 with	USPAT	2004/06/04
_	1	(list\$1 or table\$1) (("not" near authoriz\$6)or	USPAT	20:27 2004/06/04
		unauthoriz\$6)with port\$1 adj log\$5	"	20:32
-	89	perform\$3 with port\$1 adj log\$5	USPAT	2004/06/04
	138	(perform\$3 or assign\$5 or authoriz\$6 or	USPAT	20:33
	138	(performs 3 or assigns or authorize of permiss () with port () adj log (5	JULAT	2004/08/04
-	0	6622163.URPN.	USPAT	2004/06/04
	3	6421723.URPN.	USPAT	20:35
-	3	0121/23.URFN.	OSEMI	21:05
_	0		USPAT	2004/06/04
i	175	log\$5	Habam	20:42
_	179	assign\$5 with device\$1 near15 (adapter\$1 or hba)	USPAT	2004/06/04
_	1	6421723.URPN. and (list\$1 or table\$1) and	USPAT	2004/06/04
	-	port with log\$3	,uanam	21:05
_	1	6421723.URPN. and (list\$1 or table\$1) and port with log\$5	USPAT	2004/06/04 21:05
	L	L hore with rodds	L	21.00

			•	
_	2	6421723.URPN. and (list\$1 or table\$1)	USPAT	2004/06/04 21:11
		6421723.URPN. and (list\$1 or table\$1) and	USPAT	2004/06/04
-	1		USPAI	21:11
		(authoriz\$6 or access\$6)		
-	12		USPAT	2004/06/04
		or hba)near15 (list\$1 or table\$1)		21:15
-	3	assign\$5 with device\$1 near15 (adapter\$1	USPAT	2004/06/04
		or hba)near15 (list\$1 or table\$1) near15		21:15
		(authoriz\$6 or permiss\$6 or access\$6 or		
		log\$5)		
-	0	(hba or (host near2 adapter)) with manag\$6	USPAT	2004/06/04
		with port with login		21:41
_	0	(hba or (host near2 adapter)) with manag\$6	USPAT	2004/06/04
		with port with log\$6		21:41
_	35		USPAT	2004/06/04
		with (list\$1 or table\$1)		21:41
_	16		USPAT	2004/06/04
		with (list\$1 or table\$1)near15 device\$1		21:42
_	14	l ' ' '	USPAT	2004/06/04
		with (list\$1 or table\$1)near15 (access\$6		21:42
		or authoriz\$6) with device\$1		
_	0	(hba or (host near2 adapter)) with manag\$6	USPAT	2004/06/04
		with (list\$1 or table\$1)near15 (access\$6	001111	21:42
		or authoriz\$6) with (device\$1 or		
		port\$1) and port with log\$5		!
	14		USPAT	2004/06/04
-	1 14	with (list\$1 or table\$1)near15 (access\$6	OSFAI	21:53
				21.55
		or authoriz\$6) with (device\$1 or port\$1)	USPAT	2004/06/04
_	9	\	USPAI	22:05
		identif\$6 near10 device\$1 near10 log\$6	11CD2M	2004/06/04
-	9		USPAT	
		(assign\$6 or identif\$6) near10 device\$1		22:05
		near10 log\$6	HODRE	2004/06/04
-	10	(hba or (host near2 adapter)) near15	USPAT	2004/06/04
		(assign\$6 or identif\$6) near10 device\$1		22:05
		near15 log\$6		2004/06/04
_	31334	target with device\$1	USPAT	2004/06/04
				22:23
_	949	target with device\$1 with (list\$1 or	USPAT	2004/06/04
		table\$1)		22:24
_	74		USPAT	2004/06/04
		device\$1 with (list\$1 or table\$1)		22:24
-	10	(authoriz\$6 or access\$6) with target with	USPAT	2004/06/04
		device\$1 with (list\$1 or table\$1)near15		23:14
		log\$6	[
-	1	1	USPAT	2004/06/04
		_	1	23:14
_	0	6745281.URPN.	USPAT	2004/06/04
	1			23:14